



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509173
 Customer Sample ID: 1051
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	182	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	18	(-)	ppm**								0.5 lbs N/1000sqft
Phosphorus	20	(50)	ppm								2.3 lbs P2O5/1000sqft
Potassium	295	(175)	ppm								0 lbs K2O/1000sqft
Calcium	15,736	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	343	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	21	(13)	ppm								0 lbs S/1000sqft
Sodium	11	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/10/2018

Area Represented: not provided

Travis County

Laboratory Number: 509174

Customer Sample ID: 1052

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.0	(6.5)	-	Mod. Alkaline								
Conductivity	231	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	14	(-)	ppm**									0.7 lbs N/1000sqft
Phosphorus	39	(50)	ppm									0.8 lbs P2O5/1000sqft
Potassium	525	(175)	ppm									0 lbs K2O/1000sqft
Calcium	18,116	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	241	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	18	(13)	ppm									0 lbs S/1000sqft
Sodium	8	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/10/2018

Area Represented: not provided

Travis County

Laboratory Number: 509175

Customer Sample ID: 1053

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.0	(6.5)	-	Mod. Alkaline								
Conductivity	248	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	10	(-)	ppm**									1 lbs N/1000sqft
Phosphorus	22	(50)	ppm									2.2 lbs P2O5/1000sqft
Potassium	455	(175)	ppm									0 lbs K2O/1000sqft
Calcium	9,647	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	221	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	12	(13)	ppm									0.25 lbs S/1000sqft
Sodium	8	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Sulfur: Available sulfur may be found deeper in soil profile, thus limiting any response to added sulfur.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509176
 Customer Sample ID: 1054
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	181	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	9	(-)	ppm**								1 lbs N/1000sqft
Phosphorus	180	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	287	(175)	ppm								0 lbs K2O/1000sqft
Calcium	7,260	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	280	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	20	(13)	ppm								0 lbs S/1000sqft
Sodium	8	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/10/2018

Area Represented: not provided

Travis County

Laboratory Number: 509177

Customer Sample ID: 1055

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.6	(6.5)	-	Mod. Alkaline								
Conductivity	1,082	(-)	umho/cm	Moderate							CL*	Fertilizer Recommended
Nitrate-N	14	(-)	ppm**									0.8 lbs N/1000sqft
Phosphorus	194	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	207	(175)	ppm									0 lbs K2O/1000sqft
Calcium	9,599	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	436	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	587	(13)	ppm									0 lbs S/1000sqft
Sodium	26	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Conductivity: Salinity levels are becoming elevated, monitor levels or remove salts with 10-15 inches of clean leach water.

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509178
 Customer Sample ID: 1056
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	478	(-)	umho/cm	Slight			CL*		Fertilizer Recommended		
Nitrate-N	5	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	148	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	813	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	21,821	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	605	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	57	(13)	ppm							0 lbs S/1000sqft	
Sodium	165	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/10/2018

Area Represented: not provided

Travis County

Laboratory Number: 509179

Customer Sample ID: 1057

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.2	(6.5)	-	Mod. Alkaline							
Conductivity	152	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	6	(-)	ppm**							1.1 lbs N/1000sqft	
Phosphorus	11	(50)	ppm							3.1 lbs P2O5/1000sqft	
Potassium	208	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	31,908	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	256	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	27	(13)	ppm							0 lbs S/1000sqft	
Sodium	14	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/10/2018

Area Represented: not provided

Travis County

Laboratory Number: 509181

Customer Sample ID: 1058

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.1	(6.5)	-	Mod. Alkaline							
Conductivity	132	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	7	(-)	ppm**							1.1 lbs N/1000sqft	
Phosphorus	24	(50)	ppm							2 lbs P2O5/1000sqft	
Potassium	171	(175)	ppm							0.1 lbs K2O/1000sqft	
Calcium	9,942	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	293	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	17	(13)	ppm							0 lbs S/1000sqft	
Sodium	37	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509182
 Customer Sample ID: 1060
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	212	(-)	umho/cm	None			CL*		Fertilizer Recommended		
Nitrate-N	12	(-)	ppm**								0.8 lbs N/1000sqft
Phosphorus	206	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	413	(175)	ppm								0 lbs K2O/1000sqft
Calcium	7,080	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	491	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	27	(13)	ppm								0 lbs S/1000sqft
Sodium	18	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509183
 Customer Sample ID: 1061
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	158	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	11	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	50	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	244	(175)	ppm								0 lbs K2O/1000sqft
Calcium	22,548	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	521	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	30	(13)	ppm								0 lbs S/1000sqft
Sodium	17	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/10/2018

Area Represented: not provided

Travis County

Laboratory Number: 509184

Customer Sample ID: 1062

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.1	(6.5)	-	Mod. Alkaline							
Conductivity	155	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	6	(-)	ppm**							1.1 lbs N/1000sqft	
Phosphorus	17	(50)	ppm							2.6 lbs P2O5/1000sqft	
Potassium	257	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	12,131	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	255	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	14	(13)	ppm							0 lbs S/1000sqft	
Sodium	17	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509185
 Customer Sample ID: 1063
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	273	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								1 lbs N/1000sqft
Phosphorus	166	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	298	(175)	ppm								0 lbs K2O/1000sqft
Calcium	14,845	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	511	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	29	(13)	ppm								0 lbs S/1000sqft
Sodium	18	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509186
 Customer Sample ID: 1064
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.5	(6.5)	-	Slightly Alkaline							
Conductivity	207	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	14	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	371	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	200	(175)	ppm								0 lbs K2O/1000sqft
Calcium	5,187	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	277	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	20	(13)	ppm								0 lbs S/1000sqft
Sodium	43	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509187
 Customer Sample ID: 1065
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	306	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	21	(-)	ppm**								0.4 lbs N/1000sqft
Phosphorus	91	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	212	(175)	ppm								0 lbs K2O/1000sqft
Calcium	13,038	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	493	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	29	(13)	ppm								0 lbs S/1000sqft
Sodium	22	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/10/2018

Area Represented: not provided

Travis County

Laboratory Number: 509188

Customer Sample ID: 1066

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.7	(6.5)	-	Mod. Alkaline								
Conductivity	342	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	25	(-)	ppm**									0.2 lbs N/1000sqft
Phosphorus	75	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	361	(175)	ppm									0 lbs K2O/1000sqft
Calcium	18,448	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	393	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	29	(13)	ppm									0 lbs S/1000sqft
Sodium	22	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509189
 Customer Sample ID: 1067
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	189	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	8	(-)	ppm**							1.1 lbs N/1000sqft	
Phosphorus	119	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	283	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	11,871	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	292	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	18	(13)	ppm							0 lbs S/1000sqft	
Sodium	12	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509190
 Customer Sample ID: 1069
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	180	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	6	(-)	ppm**								1.1 lbs N/1000sqft
Phosphorus	129	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	144	(175)	ppm								0.7 lbs K2O/1000sqft
Calcium	11,623	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	357	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	20	(13)	ppm								0 lbs S/1000sqft
Sodium	9	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/10/2018

Area Represented: not provided

Travis County

Laboratory Number: 509191

Customer Sample ID: 1070

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.0	(6.5)	-	Mod. Alkaline								
Conductivity	175	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	9	(-)	ppm**									1 lbs N/1000sqft
Phosphorus	13	(50)	ppm									2.9 lbs P2O5/1000sqft
Potassium	265	(175)	ppm									0 lbs K2O/1000sqft
Calcium	19,738	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	336	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	25	(13)	ppm									0 lbs S/1000sqft
Sodium	8	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/10/2018

Area Represented: not provided

Travis County

Laboratory Number: 509192

Customer Sample ID: 1071

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.1	(6.5)	-	Mod. Alkaline								
Conductivity	163	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	7	(-)	ppm**								1.1 lbs N/1000sqft	
Phosphorus	18	(50)	ppm								2.5 lbs P2O5/1000sqft	
Potassium	399	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	9,774	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	184	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	12	(13)	ppm								0.25 lbs S/1000sqft	
Sodium	8	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Sulfur: Available sulfur may be found deeper in soil profile, thus limiting any response to added sulfur.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509193
 Customer Sample ID: 1072
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	900	(-)	umho/cm	Slight			CL*		Fertilizer Recommended		
Nitrate-N	7	(-)	ppm**								1.1 lbs N/1000sqft
Phosphorus	54	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	200	(175)	ppm								0 lbs K2O/1000sqft
Calcium	15,793	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	214	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	1,002	(13)	ppm								0 lbs S/1000sqft
Sodium	20	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509194
 Customer Sample ID: 1073
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	239	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	15	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	207	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	223	(175)	ppm								0 lbs K2O/1000sqft
Calcium	8,383	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	661	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	23	(13)	ppm								0 lbs S/1000sqft
Sodium	32	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509195
 Customer Sample ID: 1074
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	168	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	8	(-)	ppm**								1.1 lbs N/1000sqft
Phosphorus	319	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	279	(175)	ppm								0 lbs K2O/1000sqft
Calcium	4,820	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	207	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	17	(13)	ppm								0 lbs S/1000sqft
Sodium	8	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509196
 Customer Sample ID: 1075
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	388	(-)	umho/cm	None			CL*		Fertilizer Recommended		
Nitrate-N	5	(-)	ppm**								1.2 lbs N/1000sqft
Phosphorus	176	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	856	(175)	ppm								0 lbs K2O/1000sqft
Calcium	10,454	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	624	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	52	(13)	ppm								0 lbs S/1000sqft
Sodium	131	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509197
 Customer Sample ID: 1076
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	1,160	(-)	umho/cm	Moderate							Fertilizer Recommended
Nitrate-N	74	(-)	ppm**								0 lbs N/1000sqft
Phosphorus	385	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	1582	(175)	ppm								0 lbs K2O/1000sqft
Calcium	15,522	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	625	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	145	(13)	ppm								0 lbs S/1000sqft
Sodium	233	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Conductivity: Salinity levels are becoming elevated, monitor levels or remove salts with 10-15 inches of clean leach water.

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509198
 Customer Sample ID: 1077
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	541	(-)	umho/cm	Slight							Fertilizer Recommended
Nitrate-N	49	(-)	ppm**	CL*							0 lbs N/1000sqft
Phosphorus	265	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	479	(175)	ppm								0 lbs K2O/1000sqft
Calcium	27,318	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	329	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	45	(13)	ppm								0 lbs S/1000sqft
Sodium	65	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509199
 Customer Sample ID: 1078
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	263	(-)	umho/cm	None			CL*		Fertilizer Recommended		
Nitrate-N	7	(-)	ppm**								1.1 lbs N/1000sqft
Phosphorus	112	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	432	(175)	ppm								0 lbs K2O/1000sqft
Calcium	14,772	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	882	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	49	(13)	ppm								0 lbs S/1000sqft
Sodium	50	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509200
 Customer Sample ID: 1079
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.5	(6.5)	-	Slightly Alkaline							
Conductivity	276	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	16	(-)	ppm**								0.6 lbs N/1000sqft
Phosphorus	220	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	445	(175)	ppm								0 lbs K2O/1000sqft
Calcium	5,600	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	409	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	28	(13)	ppm								0 lbs S/1000sqft
Sodium	54	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509201
 Customer Sample ID: 1080
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	96	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	8	(-)	ppm**								1 lbs N/1000sqft
Phosphorus	275	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	182	(175)	ppm								0 lbs K2O/1000sqft
Calcium	9,228	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	258	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	17	(13)	ppm								0 lbs S/1000sqft
Sodium	9	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/10/2018

Area Represented: not provided

Travis County

Laboratory Number: 509202

Customer Sample ID: 1081

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	296	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	17	(-)	ppm**									0.6 lbs N/1000sqft
Phosphorus	43	(50)	ppm									0.5 lbs P2O5/1000sqft
Potassium	199	(175)	ppm									0 lbs K2O/1000sqft
Calcium	7,977	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	277	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	60	(13)	ppm									0 lbs S/1000sqft
Sodium	50	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509203
 Customer Sample ID: 1082
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.0	(6.5)	-	Neutral							
Conductivity	638	(-)	umho/cm	Slight							Fertilizer Recommended
Nitrate-N	146	(-)	ppm**	CL*							0 lbs N/1000sqft
Phosphorus	599	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	955	(175)	ppm								0 lbs K2O/1000sqft
Calcium	6,364	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	618	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	60	(13)	ppm								0 lbs S/1000sqft
Sodium	105	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509204
 Customer Sample ID: 1083
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	223	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	95	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	267	(175)	ppm								0 lbs K2O/1000sqft
Calcium	5,982	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	435	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	23	(13)	ppm								0 lbs S/1000sqft
Sodium	25	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/10/2018

Area Represented: not provided

Travis County
 Laboratory Number: 509205
 Customer Sample ID: 1084
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	259	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	15	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	83	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	301	(175)	ppm								0 lbs K2O/1000sqft
Calcium	13,353	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	477	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	21	(13)	ppm								0 lbs S/1000sqft
Sodium	35	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509206
 Customer Sample ID: 1085
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.4	(6.5)	-	Slightly Alkaline							
Conductivity	988	(-)	umho/cm	Moderate							Fertilizer Recommended
Nitrate-N	84	(-)	ppm**								0 lbs N/1000sqft
Phosphorus	775	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	1582	(175)	ppm								0 lbs K2O/1000sqft
Calcium	15,011	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	723	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	198	(13)	ppm								0 lbs S/1000sqft
Sodium	231	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Conductivity: Salinity levels are becoming elevated, monitor levels or remove salts with 10-15 inches of clean leach water.

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509207
 Customer Sample ID: 1086
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.1	(6.5)	-	Mod. Alkaline							
Conductivity	202	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	6	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	17	(50)	ppm							2.6 lbs P2O5/1000sqft	
Potassium	252	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	13,641	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	180	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	29	(13)	ppm							0 lbs S/1000sqft	
Sodium	29	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509208
 Customer Sample ID: 1087
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	281	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	13	(-)	ppm**								0.8 lbs N/1000sqft
Phosphorus	235	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	314	(175)	ppm								0 lbs K2O/1000sqft
Calcium	5,422	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	634	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	25	(13)	ppm								0 lbs S/1000sqft
Sodium	39	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/10/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509209
 Customer Sample ID: 1088
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	201	(-)	umho/cm	None							CL*
Nitrate-N	16	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	60	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	224	(175)	ppm								0 lbs K2O/1000sqft
Calcium	25,851	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	313	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	23	(13)	ppm								0 lbs S/1000sqft
Sodium	22	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509211
 Customer Sample ID: 1092
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	89	(-)	umho/cm	None							CL*
Nitrate-N	5	(-)	ppm**								Fertilizer Recommended 1.2 lbs N/1000sqft
Phosphorus	184	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	168	(175)	ppm								0.1 lbs K2O/1000sqft
Calcium	4,270	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	252	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	21	(13)	ppm								0 lbs S/1000sqft
Sodium	12	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509212
 Customer Sample ID: 1094
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.4	(6.5)	-	Slightly Alkaline							
Conductivity	399	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	40	(-)	ppm**								0 lbs N/1000sqft
Phosphorus	214	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	385	(175)	ppm								0 lbs K2O/1000sqft
Calcium	5,889	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	579	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	18	(13)	ppm								0 lbs S/1000sqft
Sodium	13	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509213
 Customer Sample ID: 1096
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	119	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	9	(-)	ppm**								1 lbs N/1000sqft
Phosphorus	42	(50)	ppm								0.6 lbs P2O5/1000sqft
Potassium	249	(175)	ppm								0 lbs K2O/1000sqft
Calcium	6,765	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	339	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	8	(13)	ppm								0.5 lbs S/1000sqft
Sodium	6	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Sulfur: Available sulfur may be found deeper in soil profile, thus limiting any response to added sulfur.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509214
 Customer Sample ID: 1097
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	297	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	13	(-)	ppm**								0.8 lbs N/1000sqft
Phosphorus	141	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	313	(175)	ppm								0 lbs K2O/1000sqft
Calcium	4,872	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	592	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	38	(13)	ppm								0 lbs S/1000sqft
Sodium	39	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509215

Customer Sample ID: 1099

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.7	(6.5)	-	Mod. Alkaline								
Conductivity	435	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	41	(-)	ppm**									0 lbs N/1000sqft
Phosphorus	156	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	866	(175)	ppm									0 lbs K2O/1000sqft
Calcium	7,566	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	443	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	26	(13)	ppm									0 lbs S/1000sqft
Sodium	13	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509216

Customer Sample ID: 1100

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.7	(6.5)	-	Mod. Alkaline								
Conductivity	276	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	26	(-)	ppm**									0.1 lbs N/1000sqft
Phosphorus	145	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	383	(175)	ppm									0 lbs K2O/1000sqft
Calcium	13,533	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	676	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	23	(13)	ppm									0 lbs S/1000sqft
Sodium	18	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509217
 Customer Sample ID: 1101
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.2	(6.5)	-	Mod. Alkaline							
Conductivity	148	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	7	(-)	ppm**								1.1 lbs N/1000sqft
Phosphorus	44	(50)	ppm								0.4 lbs P2O5/1000sqft
Potassium	152	(175)	ppm								0.5 lbs K2O/1000sqft
Calcium	24,166	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	410	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	31	(13)	ppm								0 lbs S/1000sqft
Sodium	11	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509218
 Customer Sample ID: 1102
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.4	(6.5)	-	Slightly Alkaline							
Conductivity	210	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	32	(50)	ppm								1.4 lbs P2O5/1000sqft
Potassium	341	(175)	ppm								0 lbs K2O/1000sqft
Calcium	4,061	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	236	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	6	(13)	ppm								0.5 lbs S/1000sqft
Sodium	6	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Sulfur: Available sulfur may be found deeper in soil profile, thus limiting any response to added sulfur.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509219
 Customer Sample ID: 1103
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	442	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	14	(-)	ppm**								0.8 lbs N/1000sqft
Phosphorus	362	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	585	(175)	ppm								0 lbs K2O/1000sqft
Calcium	15,051	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	540	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	149	(13)	ppm								0 lbs S/1000sqft
Sodium	31	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509220

Customer Sample ID: 1105

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	295	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	23	(-)	ppm**									0.3 lbs N/1000sqft
Phosphorus	73	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	171	(175)	ppm									0.1 lbs K2O/1000sqft
Calcium	7,100	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	340	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	31	(13)	ppm									0 lbs S/1000sqft
Sodium	23	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509221
 Customer Sample ID: 1106
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	179	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	11	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	221	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	290	(175)	ppm								0 lbs K2O/1000sqft
Calcium	6,566	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	532	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	15	(13)	ppm								0 lbs S/1000sqft
Sodium	22	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509222
 Customer Sample ID: 1107
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.2	(6.5)	-	Slightly Alkaline							
Conductivity	2,263	(-)	umho/cm	High			CL*		Fertilizer Recommended		
Nitrate-N	5	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	425	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	1024	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	5,489	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	459	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	2,342	(13)	ppm							0 lbs S/1000sqft	
Sodium	60	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Conductivity: Salinity levels are becoming elevated, monitor levels or remove salts with 10-15 inches of clean leach water.

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509223
 Customer Sample ID: 1108
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.6	(6.5)	-	Mod. Alkaline							
Conductivity	530	(-)	umho/cm	Slight							Fertilizer Recommended
Nitrate-N	79	(-)	ppm**	CL*							0 lbs N/1000sqft
Phosphorus	113	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	505	(175)	ppm								0 lbs K2O/1000sqft
Calcium	8,649	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	295	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	30	(13)	ppm								0 lbs S/1000sqft
Sodium	27	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509224
 Customer Sample ID: 1109
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	164	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	11	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	201	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	247	(175)	ppm								0 lbs K2O/1000sqft
Calcium	5,330	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	299	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	15	(13)	ppm								0 lbs S/1000sqft
Sodium	14	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509225
 Customer Sample ID: 1110
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	329	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	6	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	26	(50)	ppm							1.9 lbs P2O5/1000sqft	
Potassium	106	(175)	ppm							1.5 lbs K2O/1000sqft	
Calcium	10,928	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	154	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	40	(13)	ppm							0 lbs S/1000sqft	
Sodium	48	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509226
 Customer Sample ID: 1111
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.4	(6.5)	-	Slightly Alkaline								
Conductivity	516	(-)	umho/cm	Slight							CL*	Fertilizer Recommended
Nitrate-N	13	(-)	ppm**									0.8 lbs N/1000sqft
Phosphorus	279	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	650	(175)	ppm									0 lbs K2O/1000sqft
Calcium	10,536	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	834	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	315	(13)	ppm									0 lbs S/1000sqft
Sodium	60	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509227
 Customer Sample ID: 1112
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.5	(6.5)	-	Slightly Alkaline							
Conductivity	1,443	(-)	umho/cm	Moderate							Fertilizer Recommended
Nitrate-N	7	(-)	ppm**							1.1 lbs N/1000sqft	
Phosphorus	159	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	377	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	9,324	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	622	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	897	(13)	ppm							0 lbs S/1000sqft	
Sodium	29	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Conductivity: Salinity levels are becoming elevated, monitor levels or remove salts with 10-15 inches of clean leach water.

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509228

Customer Sample ID: 1113

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.1	(6.5)	-	Mod. Alkaline								
Conductivity	158	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	6	(-)	ppm**								1.2 lbs N/1000sqft	
Phosphorus	24	(50)	ppm								2 lbs P2O5/1000sqft	
Potassium	155	(175)	ppm								0.4 lbs K2O/1000sqft	
Calcium	24,048	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	255	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	21	(13)	ppm								0 lbs S/1000sqft	
Sodium	13	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509229
 Customer Sample ID: 1115
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	278	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	364	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	423	(175)	ppm								0 lbs K2O/1000sqft
Calcium	14,378	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	675	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	46	(13)	ppm								0 lbs S/1000sqft
Sodium	36	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509230

Customer Sample ID: 1116

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.0	(6.5)	-	Mod. Alkaline								
Conductivity	213	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	7	(-)	ppm**								1.1 lbs N/1000sqft	
Phosphorus	11	(50)	ppm								3.1 lbs P2O5/1000sqft	
Potassium	332	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	15,981	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	275	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	13	(13)	ppm								0.25 lbs S/1000sqft	
Sodium	7	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Sulfur: Available sulfur may be found deeper in soil profile, thus limiting any response to added sulfur.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509231
 Customer Sample ID: 1117
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	6.6	(6.5)	-	Slightly Acid								
Conductivity	356	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	8	(-)	ppm**								1 lbs N/1000sqft	
Phosphorus	106	(50)	ppm								0 lbs P2O5/1000sqft	
Potassium	412	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	1,810	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	439	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	51	(13)	ppm								0 lbs S/1000sqft	
Sodium	99	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509232
 Customer Sample ID: 1118
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.1	(6.5)	-	Mod. Alkaline							
Conductivity	140	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	8	(-)	ppm**							1.1 lbs N/1000sqft	
Phosphorus	18	(50)	ppm							2.5 lbs P2O5/1000sqft	
Potassium	118	(175)	ppm							1.3 lbs K2O/1000sqft	
Calcium	5,875	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	109	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	7	(13)	ppm							0.5 lbs S/1000sqft	
Sodium	8	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Sulfur: Available sulfur may be found deeper in soil profile, thus limiting any response to added sulfur.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509233

Customer Sample ID: 1119

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.6	(6.5)	-	Slightly Alkaline							
Conductivity	203	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	12	(-)	ppm**								0.8 lbs N/1000sqft
Phosphorus	51	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	227	(175)	ppm								0 lbs K2O/1000sqft
Calcium	7,589	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	330	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	19	(13)	ppm								0 lbs S/1000sqft
Sodium	149	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509234
 Customer Sample ID: 1121
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	339	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	7	(-)	ppm**							1.1 lbs N/1000sqft	
Phosphorus	181	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	330	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	7,241	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	620	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	40	(13)	ppm							0 lbs S/1000sqft	
Sodium	39	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509235

Customer Sample ID: 1122

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.0	(6.5)	-	Mod. Alkaline								
Conductivity	204	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	6	(-)	ppm**								1.1 lbs N/1000sqft	
Phosphorus	9	(50)	ppm								3.2 lbs P2O5/1000sqft	
Potassium	140	(175)	ppm								0.7 lbs K2O/1000sqft	
Calcium	15,004	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	159	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	13	(13)	ppm								0 lbs S/1000sqft	
Sodium	10	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509236

Customer Sample ID: 1124

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.1	(6.5)	-	Mod. Alkaline							
Conductivity	144	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	34	(50)	ppm								1.2 lbs P2O5/1000sqft
Potassium	198	(175)	ppm								0 lbs K2O/1000sqft
Calcium	32,535	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	194	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	16	(13)	ppm								0 lbs S/1000sqft
Sodium	10	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509237

Customer Sample ID: 1125

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.0	(6.5)	-	Mod. Alkaline								
Conductivity	263	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	12	(-)	ppm**									0.9 lbs N/1000sqft
Phosphorus	102	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	339	(175)	ppm									0 lbs K2O/1000sqft
Calcium	10,420	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	456	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	28	(13)	ppm									0 lbs S/1000sqft
Sodium	86	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement										0.00 lbs/1000sqft		

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509238
 Customer Sample ID: 1126
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	285	(-)	umho/cm	None			CL*		Fertilizer Recommended		
Nitrate-N	16	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	317	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	403	(175)	ppm								0 lbs K2O/1000sqft
Calcium	7,075	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	576	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	20	(13)	ppm								0 lbs S/1000sqft
Sodium	20	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509239

Customer Sample ID: 1127

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.0	(6.5)	-	Mod. Alkaline								
Conductivity	184	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	7	(-)	ppm**								1.1 lbs N/1000sqft	
Phosphorus	20	(50)	ppm								2.3 lbs P2O5/1000sqft	
Potassium	197	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	9,162	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	382	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	15	(13)	ppm								0 lbs S/1000sqft	
Sodium	13	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509241
 Customer Sample ID: 1128
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.2	(6.5)	-	Slightly Alkaline							
Conductivity	385	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	35	(-)	ppm**								0 lbs N/1000sqft
Phosphorus	389	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	345	(175)	ppm								0 lbs K2O/1000sqft
Calcium	15,102	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	602	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	59	(13)	ppm								0 lbs S/1000sqft
Sodium	31	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509242
 Customer Sample ID: 1129
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	242	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	6	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	70	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	262	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	12,897	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	507	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	23	(13)	ppm							0 lbs S/1000sqft	
Sodium	37	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509243
 Customer Sample ID: 1130
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	138	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	9	(-)	ppm**								1 lbs N/1000sqft	
Phosphorus	85	(50)	ppm								0 lbs P2O5/1000sqft	
Potassium	368	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	22,518	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	451	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	34	(13)	ppm								0 lbs S/1000sqft	
Sodium	35	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509244
 Customer Sample ID: 1131
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	270	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	6	(-)	ppm**							1.1 lbs N/1000sqft	
Phosphorus	85	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	292	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	12,934	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	824	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	23	(13)	ppm							0 lbs S/1000sqft	
Sodium	64	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509245
 Customer Sample ID: 1132
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	982	(-)	umho/cm	Moderate							Fertilizer Recommended
Nitrate-N	34	(-)	ppm**								0 lbs N/1000sqft
Phosphorus	692	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	739	(175)	ppm								0 lbs K2O/1000sqft
Calcium	8,990	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	511	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	263	(13)	ppm								0 lbs S/1000sqft
Sodium	169	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Conductivity: Salinity levels are becoming elevated, monitor levels or remove salts with 10-15 inches of clean leach water.

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509246
 Customer Sample ID: 1133
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	208	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	21	(-)	ppm**								0.4 lbs N/1000sqft
Phosphorus	358	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	342	(175)	ppm								0 lbs K2O/1000sqft
Calcium	6,393	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	632	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	27	(13)	ppm								0 lbs S/1000sqft
Sodium	31	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509247
 Customer Sample ID: 1134
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	344	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	25	(-)	ppm**									0.2 lbs N/1000sqft
Phosphorus	74	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	401	(175)	ppm									0 lbs K2O/1000sqft
Calcium	9,982	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	557	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	19	(13)	ppm									0 lbs S/1000sqft
Sodium	36	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509248

Customer Sample ID: 1135

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.0	(6.5)	-	Neutral								
Conductivity	195	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	9	(-)	ppm**									1 lbs N/1000sqft
Phosphorus	15	(50)	ppm									2.7 lbs P2O5/1000sqft
Potassium	176	(175)	ppm									0 lbs K2O/1000sqft
Calcium	3,684	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	329	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	5	(13)	ppm									0.5 lbs S/1000sqft
Sodium	9	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Sulfur: Available sulfur may be found deeper in soil profile, thus limiting any response to added sulfur.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509249
 Customer Sample ID: 1136
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.1	(6.5)	-	Mod. Alkaline							
Conductivity	205	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	0	(50)	ppm								3.9 lbs P2O5/1000sqft
Potassium	125	(175)	ppm								1.1 lbs K2O/1000sqft
Calcium	40,836	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	317	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	23	(13)	ppm								0 lbs S/1000sqft
Sodium	27	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509250
 Customer Sample ID: 1137
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	243	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	9	(-)	ppm**								1 lbs N/1000sqft
Phosphorus	55	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	405	(175)	ppm								0 lbs K2O/1000sqft
Calcium	16,350	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	327	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	20	(13)	ppm								0 lbs S/1000sqft
Sodium	11	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509251
 Customer Sample ID: 1138
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	6.4	(6.5)	-	Slightly Acid							
Conductivity	194	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	18	(-)	ppm**								0.6 lbs N/1000sqft
Phosphorus	12	(50)	ppm								3 lbs P2O5/1000sqft
Potassium	255	(175)	ppm								0 lbs K2O/1000sqft
Calcium	2,441	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	188	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	13	(13)	ppm								0 lbs S/1000sqft
Sodium	12	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											10.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509252
 Customer Sample ID: 1139
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	212	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	13	(-)	ppm**								0.8 lbs N/1000sqft
Phosphorus	15	(50)	ppm								2.7 lbs P2O5/1000sqft
Potassium	207	(175)	ppm								0 lbs K2O/1000sqft
Calcium	6,066	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	433	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	28	(13)	ppm								0 lbs S/1000sqft
Sodium	41	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509253
 Customer Sample ID: 1140
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	6.7	(6.5)	-	Slightly Acid							
Conductivity	67	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	8	(-)	ppm**							1.1 lbs N/1000sqft	
Phosphorus	13	(50)	ppm							2.9 lbs P2O5/1000sqft	
Potassium	54	(175)	ppm							2.7 lbs K2O/1000sqft	
Calcium	609	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	46	(50)	ppm							0.25 lbs Mg/1000sqft	
Sulfur	2	(13)	ppm							1 lbs S/1000sqft	
Sodium	2	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Sulfur: Available sulfur may be found deeper in soil profile, thus limiting any response to added sulfur.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509254
 Customer Sample ID: 1141
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	155	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	7	(-)	ppm**							1.1 lbs N/1000sqft	
Phosphorus	18	(50)	ppm							2.5 lbs P2O5/1000sqft	
Potassium	429	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	11,307	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	196	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	8	(13)	ppm							0.25 lbs S/1000sqft	
Sodium	4	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Sulfur: Available sulfur may be found deeper in soil profile, thus limiting any response to added sulfur.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509255
 Customer Sample ID: 1142
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	208	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	8	(-)	ppm**								1.1 lbs N/1000sqft
Phosphorus	45	(50)	ppm								0.3 lbs P2O5/1000sqft
Potassium	206	(175)	ppm								0 lbs K2O/1000sqft
Calcium	8,018	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	375	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	18	(13)	ppm								0 lbs S/1000sqft
Sodium	12	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509256
 Customer Sample ID: 1143
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.1	(6.5)	-	Mod. Alkaline								
Conductivity	144	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	9	(-)	ppm**								1 lbs N/1000sqft	
Phosphorus	12	(50)	ppm								3 lbs P2O5/1000sqft	
Potassium	176	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	7,872	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	318	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	14	(13)	ppm								0 lbs S/1000sqft	
Sodium	7	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509257
 Customer Sample ID: 1144
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	423	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	11	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	644	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	730	(175)	ppm								0 lbs K2O/1000sqft
Calcium	7,973	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	561	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	66	(13)	ppm								0 lbs S/1000sqft
Sodium	64	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509258

Customer Sample ID: 1145

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	1,498	(-)	umho/cm	Moderate							Fertilizer Recommended
Nitrate-N	6	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	202	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	442	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	16,332	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	358	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	862	(13)	ppm							0 lbs S/1000sqft	
Sodium	27	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Conductivity: Salinity levels are becoming elevated, monitor levels or remove salts with 10-15 inches of clean leach water.

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509259
 Customer Sample ID: 1146
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	296	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	15	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	49	(50)	ppm								0.1 lbs P2O5/1000sqft
Potassium	241	(175)	ppm								0 lbs K2O/1000sqft
Calcium	14,277	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	338	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	44	(13)	ppm								0 lbs S/1000sqft
Sodium	16	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509260
 Customer Sample ID: 1147
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.8	(6.5)	-	Mod. Alkaline								
Conductivity	347	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	27	(-)	ppm**									0.1 lbs N/1000sqft
Phosphorus	140	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	384	(175)	ppm									0 lbs K2O/1000sqft
Calcium	6,437	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	335	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	19	(13)	ppm									0 lbs S/1000sqft
Sodium	9	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509261
 Customer Sample ID: 1151
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	247	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	12	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	43	(50)	ppm								0.5 lbs P2O5/1000sqft
Potassium	260	(175)	ppm								0 lbs K2O/1000sqft
Calcium	14,707	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	340	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	20	(13)	ppm								0 lbs S/1000sqft
Sodium	19	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509262
 Customer Sample ID: 1152
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	241	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	17	(-)	ppm**								0.6 lbs N/1000sqft
Phosphorus	206	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	409	(175)	ppm								0 lbs K2O/1000sqft
Calcium	6,469	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	424	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	20	(13)	ppm								0 lbs S/1000sqft
Sodium	9	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509263
 Customer Sample ID: 1153
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	170	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	7	(-)	ppm**							1.1 lbs N/1000sqft	
Phosphorus	107	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	269	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	15,727	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	823	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	36	(13)	ppm							0 lbs S/1000sqft	
Sodium	44	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509264

Customer Sample ID: 1154

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	148	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	6	(-)	ppm**									1.2 lbs N/1000sqft
Phosphorus	32	(50)	ppm									1.4 lbs P2O5/1000sqft
Potassium	199	(175)	ppm									0 lbs K2O/1000sqft
Calcium	11,310	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	240	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	16	(13)	ppm									0 lbs S/1000sqft
Sodium	11	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement										0.00 lbs/1000sqft		

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509265
 Customer Sample ID: 1155
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.0	(6.5)	-	Mod. Alkaline								
Conductivity	252	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								1 lbs N/1000sqft	
Phosphorus	129	(50)	ppm								0 lbs P2O5/1000sqft	
Potassium	420	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	19,194	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	428	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	34	(13)	ppm								0 lbs S/1000sqft	
Sodium	40	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509266
 Customer Sample ID: 1156
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.8	(6.5)	-	Mod. Alkaline								
Conductivity	249	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	25	(-)	ppm**									0.2 lbs N/1000sqft
Phosphorus	251	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	522	(175)	ppm									0 lbs K2O/1000sqft
Calcium	19,831	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	689	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	44	(13)	ppm									0 lbs S/1000sqft
Sodium	55	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509267
 Customer Sample ID: 1157
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	360	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	37	(-)	ppm**									0 lbs N/1000sqft
Phosphorus	51	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	299	(175)	ppm									0 lbs K2O/1000sqft
Calcium	14,183	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	248	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	22	(13)	ppm									0 lbs S/1000sqft
Sodium	13	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509268
 Customer Sample ID: 1158
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	739	(-)	umho/cm	Slight							Fertilizer Recommended
Nitrate-N	50	(-)	ppm**	CL*							0 lbs N/1000sqft
Phosphorus	456	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	1459	(175)	ppm								0 lbs K2O/1000sqft
Calcium	18,173	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	726	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	91	(13)	ppm								0 lbs S/1000sqft
Sodium	116	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509269
 Customer Sample ID: 1159
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.1	(6.5)	-	Mod. Alkaline							
Conductivity	160	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	6	(-)	ppm**								1.1 lbs N/1000sqft
Phosphorus	36	(50)	ppm								1.1 lbs P2O5/1000sqft
Potassium	295	(175)	ppm								0 lbs K2O/1000sqft
Calcium	19,672	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	381	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	24	(13)	ppm								0 lbs S/1000sqft
Sodium	18	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509271
 Customer Sample ID: 1160A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	219	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	239	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	433	(175)	ppm								0 lbs K2O/1000sqft
Calcium	8,202	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	653	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	25	(13)	ppm								0 lbs S/1000sqft
Sodium	32	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509272
 Customer Sample ID: 1160B
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	570	(-)	umho/cm	Slight			CL*		Fertilizer Recommended		
Nitrate-N	14	(-)	ppm**								0.8 lbs N/1000sqft
Phosphorus	366	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	1546	(175)	ppm								0 lbs K2O/1000sqft
Calcium	7,900	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	748	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	170	(13)	ppm								0 lbs S/1000sqft
Sodium	93	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509273
 Customer Sample ID: 1163A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.1	(6.5)	-	Mod. Alkaline							
Conductivity	132	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	8	(-)	ppm**							1 lbs N/1000sqft	
Phosphorus	58	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	309	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	8,192	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	389	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	16	(13)	ppm							0 lbs S/1000sqft	
Sodium	17	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509274
 Customer Sample ID: 1164A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	260	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	21	(-)	ppm**								0.4 lbs N/1000sqft
Phosphorus	130	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	136	(175)	ppm								0.8 lbs K2O/1000sqft
Calcium	18,160	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	394	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	43	(13)	ppm								0 lbs S/1000sqft
Sodium	33	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509275

Customer Sample ID: 1166A

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	233	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	11	(-)	ppm**									0.9 lbs N/1000sqft
Phosphorus	78	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	221	(175)	ppm									0 lbs K2O/1000sqft
Calcium	6,830	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	345	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	16	(13)	ppm									0 lbs S/1000sqft
Sodium	15	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509276

Customer Sample ID: 1166B

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.6	(6.5)	-	Mod. Alkaline								
Conductivity	309	(-)	umho/cm	None								Fertilizer Recommended
Nitrate-N	9	(-)	ppm**								1 lbs N/1000sqft	
Phosphorus	237	(50)	ppm								0 lbs P2O5/1000sqft	
Potassium	248	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	8,158	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	483	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	149	(13)	ppm								0 lbs S/1000sqft	
Sodium	21	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509277
 Customer Sample ID: 1167
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.7	(6.5)	-	Mod. Alkaline								
Conductivity	277	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	8	(-)	ppm**								1 lbs N/1000sqft	
Phosphorus	92	(50)	ppm								0 lbs P2O5/1000sqft	
Potassium	298	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	8,634	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	793	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	26	(13)	ppm								0 lbs S/1000sqft	
Sodium	27	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509278
 Customer Sample ID: 1169B
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.1	(6.5)	-	Mod. Alkaline							
Conductivity	210	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	6	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	179	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	212	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	12,029	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	382	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	65	(13)	ppm							0 lbs S/1000sqft	
Sodium	29	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509279
 Customer Sample ID: 1170
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	205	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	29	(50)	ppm								1.6 lbs P2O5/1000sqft
Potassium	202	(175)	ppm								0 lbs K2O/1000sqft
Calcium	13,568	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	306	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	21	(13)	ppm								0 lbs S/1000sqft
Sodium	18	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509280
 Customer Sample ID: 1171
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.6	(6.5)	-	Slightly Alkaline							
Conductivity	547	(-)	umho/cm	Slight							Fertilizer Recommended
Nitrate-N	5	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	46	(50)	ppm							0.3 lbs P2O5/1000sqft	
Potassium	520	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	17,275	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	349	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	110	(13)	ppm							0 lbs S/1000sqft	
Sodium	71	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509281
 Customer Sample ID: 1172
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.1	(6.5)	-	Mod. Alkaline							
Conductivity	194	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	6	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	103	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	491	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	12,267	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	394	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	29	(13)	ppm							0 lbs S/1000sqft	
Sodium	37	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509282

Customer Sample ID: 1173A

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.1	(6.5)	-	Mod. Alkaline								
Conductivity	211	(-)	umho/cm	None			CL*		Fertilizer Recommended			
Nitrate-N	4	(-)	ppm**							1.2 lbs N/1000sqft		
Phosphorus	86	(50)	ppm							0 lbs P2O5/1000sqft		
Potassium	301	(175)	ppm							0 lbs K2O/1000sqft		
Calcium	27,037	(180)	ppm							0 lbs Ca/1000sqft		
Magnesium	562	(50)	ppm							0 lbs Mg/1000sqft		
Sulfur	53	(13)	ppm							0 lbs S/1000sqft		
Sodium	58	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement										0.00 lbs/1000sqft		

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509283
 Customer Sample ID: 1173B
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.3	(6.5)	-	Slightly Alkaline							
Conductivity	1,362	(-)	umho/cm	Moderate							Fertilizer Recommended
Nitrate-N	5	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	656	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	696	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	6,367	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	353	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	1,146	(13)	ppm							0 lbs S/1000sqft	
Sodium	30	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Conductivity: Salinity levels are becoming elevated, monitor levels or remove salts with 10-15 inches of clean leach water.

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509284
 Customer Sample ID: 1174A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	246	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	15	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	285	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	544	(175)	ppm								0 lbs K2O/1000sqft
Calcium	6,604	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	498	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	24	(13)	ppm								0 lbs S/1000sqft
Sodium	16	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509285
 Customer Sample ID: 1175A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	319	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	15	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	72	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	302	(175)	ppm								0 lbs K2O/1000sqft
Calcium	20,501	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	492	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	29	(13)	ppm								0 lbs S/1000sqft
Sodium	46	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509286
 Customer Sample ID: 1175B
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	127	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	7	(-)	ppm**							1.1 lbs N/1000sqft	
Phosphorus	39	(50)	ppm							0.8 lbs P2O5/1000sqft	
Potassium	129	(175)	ppm							1 lbs K2O/1000sqft	
Calcium	8,277	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	203	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	13	(13)	ppm							0 lbs S/1000sqft	
Sodium	10	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509287
 Customer Sample ID: 1176A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	1,157	(-)	umho/cm	Moderate							Fertilizer Recommended
Nitrate-N	86	(-)	ppm**	CL*							0 lbs N/1000sqft
Phosphorus	735	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	2552	(175)	ppm								0 lbs K2O/1000sqft
Calcium	8,698	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	807	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	286	(13)	ppm								0 lbs S/1000sqft
Sodium	86	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Conductivity: Salinity levels are becoming elevated, monitor levels or remove salts with 10-15 inches of clean leach water.

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509380

Customer Sample ID: 1176B

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	251	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	12	(-)	ppm**								0.8 lbs N/1000sqft
Phosphorus	173	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	163	(175)	ppm								0.2 lbs K2O/1000sqft
Calcium	6,816	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	575	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	24	(13)	ppm								0 lbs S/1000sqft
Sodium	21	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509381
 Customer Sample ID: 1177A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.7	(6.5)	-	Mod. Alkaline								
Conductivity	221	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	15	(-)	ppm**									0.7 lbs N/1000sqft
Phosphorus	360	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	440	(175)	ppm									0 lbs K2O/1000sqft
Calcium	8,726	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	478	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	28	(13)	ppm									0 lbs S/1000sqft
Sodium	22	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509382

Customer Sample ID: 1178B

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	289	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	38	(-)	ppm**								0 lbs N/1000sqft
Phosphorus	184	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	313	(175)	ppm								0 lbs K2O/1000sqft
Calcium	6,214	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	277	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	23	(13)	ppm								0 lbs S/1000sqft
Sodium	12	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509383
 Customer Sample ID: 1179A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	184	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	14	(-)	ppm**								0.8 lbs N/1000sqft
Phosphorus	120	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	393	(175)	ppm								0 lbs K2O/1000sqft
Calcium	5,692	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	311	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	18	(13)	ppm								0 lbs S/1000sqft
Sodium	8	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509384

Customer Sample ID: 1179B

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.0	(6.5)	-	Mod. Alkaline								
Conductivity	185	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	7	(-)	ppm**								1.1 lbs N/1000sqft	
Phosphorus	37	(50)	ppm								1 lbs P2O5/1000sqft	
Potassium	238	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	5,937	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	615	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	16	(13)	ppm								0 lbs S/1000sqft	
Sodium	8	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509288

Customer Sample ID: 1180A

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	633	(-)	umho/cm	Slight							Fertilizer Recommended
Nitrate-N	14	(-)	ppm**	CL*							0.7 lbs N/1000sqft
Phosphorus	234	(50)	ppm	[Bar chart showing high phosphorus level]							0 lbs P2O5/1000sqft
Potassium	807	(175)	ppm	[Bar chart showing high potassium level]							0 lbs K2O/1000sqft
Calcium	22,642	(180)	ppm	[Bar chart showing high calcium level]							0 lbs Ca/1000sqft
Magnesium	596	(50)	ppm	[Bar chart showing high magnesium level]							0 lbs Mg/1000sqft
Sulfur	228	(13)	ppm	[Bar chart showing high sulfur level]							0 lbs S/1000sqft
Sodium	61	(-)	ppm	[Bar chart showing low sodium level]							
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509289
 Customer Sample ID: 1180B
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	299	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	11	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	244	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	505	(175)	ppm								0 lbs K2O/1000sqft
Calcium	12,059	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	306	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	66	(13)	ppm								0 lbs S/1000sqft
Sodium	24	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509290

Customer Sample ID: 1181

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.1	(6.5)	-	Mod. Alkaline								
Conductivity	191	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	8	(-)	ppm**								1 lbs N/1000sqft	
Phosphorus	44	(50)	ppm								0.4 lbs P2O5/1000sqft	
Potassium	178	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	11,329	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	369	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	20	(13)	ppm								0 lbs S/1000sqft	
Sodium	22	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509291
 Customer Sample ID: 1181A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.4	(6.5)	-	Slightly Alkaline							
Conductivity	811	(-)	umho/cm	Slight							Fertilizer Recommended
Nitrate-N	237	(-)	ppm**								0 lbs N/1000sqft
Phosphorus	104	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	362	(175)	ppm								0 lbs K2O/1000sqft
Calcium	22,046	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	492	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	50	(13)	ppm								0 lbs S/1000sqft
Sodium	31	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509292

Customer Sample ID: 1182A

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	256	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	78	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	483	(175)	ppm								0 lbs K2O/1000sqft
Calcium	16,691	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	355	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	26	(13)	ppm								0 lbs S/1000sqft
Sodium	19	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509293

Customer Sample ID: 1183A

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	238	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	36	(50)	ppm								1.1 lbs P2O5/1000sqft
Potassium	240	(175)	ppm								0 lbs K2O/1000sqft
Calcium	17,602	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	489	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	44	(13)	ppm								0 lbs S/1000sqft
Sodium	34	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509294
 Customer Sample ID: 1183B
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	203	(-)	umho/cm	None							CL*
Nitrate-N	16	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	141	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	404	(175)	ppm								0 lbs K2O/1000sqft
Calcium	5,426	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	243	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	18	(13)	ppm								0 lbs S/1000sqft
Sodium	7	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509295
 Customer Sample ID: 1184
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	233	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	5	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	904	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	205	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	9,450	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	737	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	54	(13)	ppm							0 lbs S/1000sqft	
Sodium	38	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509296

Customer Sample ID: 1184A

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.8	(6.5)	-	Mod. Alkaline								
Conductivity	1,061	(-)	umho/cm	Moderate							CL*	Fertilizer Recommended
Nitrate-N	55	(-)	ppm**									0 lbs N/1000sqft
Phosphorus	260	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	1745	(175)	ppm									0 lbs K2O/1000sqft
Calcium	27,824	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	720	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	546	(13)	ppm									0 lbs S/1000sqft
Sodium	179	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Conductivity: Salinity levels are becoming elevated, monitor levels or remove salts with 10-15 inches of clean leach water.

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509297
 Customer Sample ID: 1185A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.1	(6.5)	-	Mod. Alkaline							
Conductivity	285	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	23	(-)	ppm**								0.3 lbs N/1000sqft
Phosphorus	18	(50)	ppm								2.5 lbs P2O5/1000sqft
Potassium	283	(175)	ppm								0 lbs K2O/1000sqft
Calcium	25,303	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	475	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	56	(13)	ppm								0 lbs S/1000sqft
Sodium	59	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Travis County

Laboratory Number: 509298

Customer Sample ID: 1185B

Crop Grown: GARDEN

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.0	(6.5)	-	Mod. Alkaline								
Conductivity	219	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	12	(-)	ppm**									0.8 lbs N/1000sqft
Phosphorus	55	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	249	(175)	ppm									0 lbs K2O/1000sqft
Calcium	13,449	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	358	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	21	(13)	ppm									0 lbs S/1000sqft
Sodium	17	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509299

Customer Sample ID: 1186A

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.4	(6.5)	-	Slightly Alkaline							
Conductivity	836	(-)	umho/cm	Slight							Fertilizer Recommended
Nitrate-N	191	(-)	ppm**								0 lbs N/1000sqft
Phosphorus	89	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	288	(175)	ppm								0 lbs K2O/1000sqft
Calcium	15,945	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	257	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	36	(13)	ppm								0 lbs S/1000sqft
Sodium	33	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509301
 Customer Sample ID: 1186B
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	153	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	8	(-)	ppm**								1.1 lbs N/1000sqft
Phosphorus	210	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	235	(175)	ppm								0 lbs K2O/1000sqft
Calcium	6,722	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	309	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	25	(13)	ppm								0 lbs S/1000sqft
Sodium	16	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509302
 Customer Sample ID: 1187A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	157	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	15	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	41	(50)	ppm								0.7 lbs P2O5/1000sqft
Potassium	168	(175)	ppm								0.1 lbs K2O/1000sqft
Calcium	11,410	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	204	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	20	(13)	ppm								0 lbs S/1000sqft
Sodium	19	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509303
 Customer Sample ID: 1187
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	235	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	18	(-)	ppm**								0.6 lbs N/1000sqft
Phosphorus	122	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	451	(175)	ppm								0 lbs K2O/1000sqft
Calcium	10,092	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	481	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	24	(13)	ppm								0 lbs S/1000sqft
Sodium	28	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509304

Customer Sample ID: 1188A

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	205	(-)	umho/cm	None							CL*
Nitrate-N	6	(-)	ppm**								Fertilizer Recommended 1.2 lbs N/1000sqft
Phosphorus	74	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	289	(175)	ppm								0 lbs K2O/1000sqft
Calcium	10,251	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	379	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	22	(13)	ppm								0 lbs S/1000sqft
Sodium	25	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509305
 Customer Sample ID: 1189A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.4	(6.5)	-	Slightly Alkaline							
Conductivity	394	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	16	(-)	ppm**								0.6 lbs N/1000sqft
Phosphorus	137	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	321	(175)	ppm								0 lbs K2O/1000sqft
Calcium	14,259	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	518	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	29	(13)	ppm								0 lbs S/1000sqft
Sodium	35	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509306
 Customer Sample ID: 1189B
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.1	(6.5)	-	Mod. Alkaline							
Conductivity	185	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	12	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	17	(50)	ppm								2.6 lbs P2O5/1000sqft
Potassium	210	(175)	ppm								0 lbs K2O/1000sqft
Calcium	27,927	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	154	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	29	(13)	ppm								0 lbs S/1000sqft
Sodium	41	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509307
 Customer Sample ID: 1190A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.0	(6.5)	-	Mod. Alkaline								
Conductivity	268	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	9	(-)	ppm**								1 lbs N/1000sqft	
Phosphorus	34	(50)	ppm								1.2 lbs P2O5/1000sqft	
Potassium	267	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	24,869	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	666	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	49	(13)	ppm								0 lbs S/1000sqft	
Sodium	27	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509308
 Customer Sample ID: 1190
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.6	(6.5)	-	Mod. Alkaline							
Conductivity	451	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	126	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	349	(175)	ppm								0 lbs K2O/1000sqft
Calcium	11,732	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	467	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	99	(13)	ppm								0 lbs S/1000sqft
Sodium	45	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509309
 Customer Sample ID: 1191A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	258	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								1 lbs N/1000sqft
Phosphorus	26	(50)	ppm								1.8 lbs P2O5/1000sqft
Potassium	334	(175)	ppm								0 lbs K2O/1000sqft
Calcium	24,265	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	278	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	25	(13)	ppm								0 lbs S/1000sqft
Sodium	18	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509310
 Customer Sample ID: 1192
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	285	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	195	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	385	(175)	ppm								0 lbs K2O/1000sqft
Calcium	13,293	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	384	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	24	(13)	ppm								0 lbs S/1000sqft
Sodium	20	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509311

Customer Sample ID: 1192A

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	200	(-)	umho/cm	None							CL*
Nitrate-N	12	(-)	ppm**								0.8 lbs N/1000sqft
Phosphorus	128	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	512	(175)	ppm								0 lbs K2O/1000sqft
Calcium	6,805	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	466	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	21	(13)	ppm								0 lbs S/1000sqft
Sodium	28	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509312
 Customer Sample ID: 1193A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.5	(6.5)	-	Slightly Alkaline							
Conductivity	252	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	13	(-)	ppm**								0.8 lbs N/1000sqft
Phosphorus	232	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	284	(175)	ppm								0 lbs K2O/1000sqft
Calcium	11,090	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	470	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	40	(13)	ppm								0 lbs S/1000sqft
Sodium	34	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509313
 Customer Sample ID: 1193
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	120	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	6	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	35	(50)	ppm							1.1 lbs P2O5/1000sqft	
Potassium	210	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	9,951	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	238	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	16	(13)	ppm							0 lbs S/1000sqft	
Sodium	9	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509314
 Customer Sample ID: 1194A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	207	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	11	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	166	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	212	(175)	ppm								0 lbs K2O/1000sqft
Calcium	15,310	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	442	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	33	(13)	ppm								0 lbs S/1000sqft
Sodium	24	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509315

Customer Sample ID: 1194

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	228	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	10	(-)	ppm**									1 lbs N/1000sqft
Phosphorus	97	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	284	(175)	ppm									0 lbs K2O/1000sqft
Calcium	11,017	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	282	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	23	(13)	ppm									0 lbs S/1000sqft
Sodium	12	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509316
 Customer Sample ID: 1195
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.6	(6.5)	-	Slightly Alkaline							
Conductivity	505	(-)	umho/cm	Slight							Fertilizer Recommended
Nitrate-N	16	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	588	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	225	(175)	ppm								0 lbs K2O/1000sqft
Calcium	6,654	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	988	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	288	(13)	ppm								0 lbs S/1000sqft
Sodium	186	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509317

Customer Sample ID: 1196A

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.6	(6.5)	-	Mod. Alkaline								
Conductivity	347	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	34	(-)	ppm**									0 lbs N/1000sqft
Phosphorus	48	(50)	ppm									0.1 lbs P2O5/1000sqft
Potassium	190	(175)	ppm									0 lbs K2O/1000sqft
Calcium	4,975	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	308	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	23	(13)	ppm									0 lbs S/1000sqft
Sodium	17	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509318
 Customer Sample ID: 1198B
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	277	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	16	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	51	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	339	(175)	ppm								0 lbs K2O/1000sqft
Calcium	7,059	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	539	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	16	(13)	ppm								0 lbs S/1000sqft
Sodium	8	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509319
 Customer Sample ID: 1199A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	1,752	(-)	umho/cm	High							CL* Fertilizer Recommended
Nitrate-N	77	(-)	ppm**	[Bar chart showing level in High range]							0 lbs N/1000sqft
Phosphorus	247	(50)	ppm	[Bar chart showing level in High range]							0 lbs P2O5/1000sqft
Potassium	2407	(175)	ppm	[Bar chart showing level in High range]							0 lbs K2O/1000sqft
Calcium	26,281	(180)	ppm	[Bar chart showing level in High range]							0 lbs Ca/1000sqft
Magnesium	615	(50)	ppm	[Bar chart showing level in High range]							0 lbs Mg/1000sqft
Sulfur	380	(13)	ppm	[Bar chart showing level in High range]							0 lbs S/1000sqft
Sodium	326	(-)	ppm	[Bar chart showing level in High range]							
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Conductivity: Salinity levels are becoming elevated, monitor levels or remove salts with 10-15 inches of clean leach water.

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509320
 Customer Sample ID: 1200B
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.1	(6.5)	-	Mod. Alkaline								
Conductivity	1,633	(-)	umho/cm	High							CL*	Fertilizer Recommended
Nitrate-N	62	(-)	ppm**									0 lbs N/1000sqft
Phosphorus	309	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	2879	(175)	ppm									0 lbs K2O/1000sqft
Calcium	26,263	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	693	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	413	(13)	ppm									0 lbs S/1000sqft
Sodium	331	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Conductivity: Salinity levels are becoming elevated, monitor levels or remove salts with 10-15 inches of clean leach water.

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509321

Customer Sample ID: 1201A

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.5	(6.5)	-	Slightly Alkaline							
Conductivity	213	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	16	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	95	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	149	(175)	ppm								0.6 lbs K2O/1000sqft
Calcium	5,134	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	131	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	20	(13)	ppm								0 lbs S/1000sqft
Sodium	83	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509322
 Customer Sample ID: 1201B
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	247	(-)	umho/cm	None			CL*		Fertilizer Recommended		
Nitrate-N	6	(-)	ppm**								1.1 lbs N/1000sqft
Phosphorus	69	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	317	(175)	ppm								0 lbs K2O/1000sqft
Calcium	10,747	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	329	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	22	(13)	ppm								0 lbs S/1000sqft
Sodium	28	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509323

Customer Sample ID: 1202A

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.0	(6.5)	-	Mod. Alkaline								
Conductivity	299	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	22	(-)	ppm**									0.3 lbs N/1000sqft
Phosphorus	63	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	161	(175)	ppm									0.3 lbs K2O/1000sqft
Calcium	18,255	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	224	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	81	(13)	ppm									0 lbs S/1000sqft
Sodium	40	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509324

Customer Sample ID: 1202B

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.8	(6.5)	-	Mod. Alkaline								
Conductivity	224	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	6	(-)	ppm**								1.2 lbs N/1000sqft	
Phosphorus	51	(50)	ppm								0 lbs P2O5/1000sqft	
Potassium	155	(175)	ppm								0.4 lbs K2O/1000sqft	
Calcium	10,177	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	188	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	21	(13)	ppm								0 lbs S/1000sqft	
Sodium	14	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509325
 Customer Sample ID: 1203B
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	272	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	5	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	50	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	294	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	10,699	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	639	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	35	(13)	ppm							0 lbs S/1000sqft	
Sodium	53	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509326
 Customer Sample ID: 1204
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	143	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	5	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	15	(50)	ppm							2.7 lbs P2O5/1000sqft	
Potassium	234	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	11,946	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	330	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	15	(13)	ppm							0 lbs S/1000sqft	
Sodium	14	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509327

Customer Sample ID: 1204A

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	336	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	15	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	41	(50)	ppm								0.7 lbs P2O5/1000sqft
Potassium	338	(175)	ppm								0 lbs K2O/1000sqft
Calcium	8,922	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	355	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	23	(13)	ppm								0 lbs S/1000sqft
Sodium	10	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509328
 Customer Sample ID: 1205B
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	311	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	11	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	87	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	299	(175)	ppm								0 lbs K2O/1000sqft
Calcium	9,152	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	469	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	27	(13)	ppm								0 lbs S/1000sqft
Sodium	39	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509329

Customer Sample ID: 1206A

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.8	(6.5)	-	Mod. Alkaline								
Conductivity	360	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	39	(-)	ppm**									0 lbs N/1000sqft
Phosphorus	103	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	212	(175)	ppm									0 lbs K2O/1000sqft
Calcium	17,387	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	656	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	37	(13)	ppm									0 lbs S/1000sqft
Sodium	25	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509331
 Customer Sample ID: 1207B
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.5	(6.5)	-	Slightly Alkaline							
Conductivity	260	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	17	(-)	ppm**								0.6 lbs N/1000sqft
Phosphorus	170	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	112	(175)	ppm								1.4 lbs K2O/1000sqft
Calcium	9,731	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	349	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	40	(13)	ppm								0 lbs S/1000sqft
Sodium	13	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509332
 Customer Sample ID: 1207A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	193	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	9	(-)	ppm**							1 lbs N/1000sqft	
Phosphorus	35	(50)	ppm							1.1 lbs P2O5/1000sqft	
Potassium	269	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	20,166	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	355	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	26	(13)	ppm							0 lbs S/1000sqft	
Sodium	8	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509333

Customer Sample ID: 1208A

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.8	(6.5)	-	Mod. Alkaline								
Conductivity	170	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	5	(-)	ppm**									1.2 lbs N/1000sqft
Phosphorus	201	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	419	(175)	ppm									0 lbs K2O/1000sqft
Calcium	10,051	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	262	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	23	(13)	ppm									0 lbs S/1000sqft
Sodium	12	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement										0.00 lbs/1000sqft		

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509334
 Customer Sample ID: 1208B
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	185	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	5	(-)	ppm**								1.2 lbs N/1000sqft
Phosphorus	58	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	261	(175)	ppm								0 lbs K2O/1000sqft
Calcium	6,176	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	376	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	13	(13)	ppm								0.25 lbs S/1000sqft
Sodium	11	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Sulfur: Available sulfur may be found deeper in soil profile, thus limiting any response to added sulfur.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509335
 Customer Sample ID: 1209
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	325	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	7	(-)	ppm**							1.1 lbs N/1000sqft	
Phosphorus	252	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	285	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	8,070	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	729	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	43	(13)	ppm							0 lbs S/1000sqft	
Sodium	43	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509336
 Customer Sample ID: 1209A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	318	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	34	(-)	ppm**								0 lbs N/1000sqft
Phosphorus	95	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	365	(175)	ppm								0 lbs K2O/1000sqft
Calcium	18,435	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	438	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	34	(13)	ppm								0 lbs S/1000sqft
Sodium	29	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509337
 Customer Sample ID: 1210
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	339	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	19	(-)	ppm**								0.5 lbs N/1000sqft
Phosphorus	220	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	402	(175)	ppm								0 lbs K2O/1000sqft
Calcium	15,382	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	629	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	30	(13)	ppm								0 lbs S/1000sqft
Sodium	21	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509338
 Customer Sample ID: 1210A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.6	(6.5)	-	Slightly Alkaline							
Conductivity	533	(-)	umho/cm	Slight							Fertilizer Recommended
Nitrate-N	3	(-)	ppm**								1.3 lbs N/1000sqft
Phosphorus	195	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	525	(175)	ppm								0 lbs K2O/1000sqft
Calcium	16,200	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	470	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	47	(13)	ppm								0 lbs S/1000sqft
Sodium	119	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509339
 Customer Sample ID: 1211A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	244	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	14	(-)	ppm**								0.8 lbs N/1000sqft
Phosphorus	105	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	280	(175)	ppm								0 lbs K2O/1000sqft
Calcium	18,546	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	439	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	27	(13)	ppm								0 lbs S/1000sqft
Sodium	12	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Travis County

Laboratory Number: 509340

Customer Sample ID: 1212A

Crop Grown: GARDEN

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	353	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	3	(-)	ppm**							1.3 lbs N/1000sqft	
Phosphorus	42	(50)	ppm							0.6 lbs P2O5/1000sqft	
Potassium	210	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	22,897	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	343	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	56	(13)	ppm							0 lbs S/1000sqft	
Sodium	28	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Travis County

Laboratory Number: 509341

Customer Sample ID: 1212B

Crop Grown: GARDEN

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.5	(6.5)	-	Slightly Alkaline							
Conductivity	382	(-)	umho/cm	None						CL*	Fertilizer Recommended
Nitrate-N	5	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	262	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	357	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	13,373	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	538	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	118	(13)	ppm							0 lbs S/1000sqft	
Sodium	49	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509342
 Customer Sample ID: 1213A
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	267	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	5	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	18	(50)	ppm							2.5 lbs P2O5/1000sqft	
Potassium	270	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	7,770	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	700	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	14	(13)	ppm							0 lbs S/1000sqft	
Sodium	24	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509343

Customer Sample ID: 1213

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	173	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	10	(-)	ppm**									0.9 lbs N/1000sqft
Phosphorus	46	(50)	ppm									0.2 lbs P2O5/1000sqft
Potassium	165	(175)	ppm									0.2 lbs K2O/1000sqft
Calcium	17,158	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	296	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	35	(13)	ppm									0 lbs S/1000sqft
Sodium	10	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509344
 Customer Sample ID: 1217
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	225	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	9	(-)	ppm**								1 lbs N/1000sqft	
Phosphorus	101	(50)	ppm								0 lbs P2O5/1000sqft	
Potassium	112	(175)	ppm								1.4 lbs K2O/1000sqft	
Calcium	8,918	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	205	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	20	(13)	ppm								0 lbs S/1000sqft	
Sodium	6	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County
 Laboratory Number: 509345
 Customer Sample ID: 1220
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.5	(6.5)	-	Slightly Alkaline							
Conductivity	293	(-)	umho/cm	None			CL*		Fertilizer Recommended		
Nitrate-N	6	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	113	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	265	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	14,970	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	514	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	76	(13)	ppm							0 lbs S/1000sqft	
Sodium	26	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509346
 Customer Sample ID: 1221
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	189	(-)	umho/cm	None						CL*	Fertilizer Recommended
Nitrate-N	4	(-)	ppm**								1.3 lbs N/1000sqft
Phosphorus	365	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	453	(175)	ppm								0 lbs K2O/1000sqft
Calcium	16,150	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	565	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	40	(13)	ppm								0 lbs S/1000sqft
Sodium	39	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509347
 Customer Sample ID: 1222
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	303	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	3	(-)	ppm**								1.3 lbs N/1000sqft
Phosphorus	217	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	556	(175)	ppm								0 lbs K2O/1000sqft
Calcium	14,445	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	518	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	38	(13)	ppm								0 lbs S/1000sqft
Sodium	47	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509348
 Customer Sample ID: 1223
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.6	(6.5)	-	Mod. Alkaline							
Conductivity	358	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	4	(-)	ppm**								1.3 lbs N/1000sqft
Phosphorus	174	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	600	(175)	ppm								0 lbs K2O/1000sqft
Calcium	19,586	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	509	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	50	(13)	ppm								0 lbs S/1000sqft
Sodium	53	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509349
 Customer Sample ID: 1224
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	314	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	15	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	125	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	296	(175)	ppm								0 lbs K2O/1000sqft
Calcium	9,949	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	592	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	26	(13)	ppm								0 lbs S/1000sqft
Sodium	23	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509350

Customer Sample ID: 1225

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	287	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	15	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	425	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	269	(175)	ppm								0 lbs K2O/1000sqft
Calcium	7,286	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	319	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	38	(13)	ppm								0 lbs S/1000sqft
Sodium	24	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509351
 Customer Sample ID: 1226
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	536	(-)	umho/cm	Slight							Fertilizer Recommended
Nitrate-N	52	(-)	ppm**								0 lbs N/1000sqft
Phosphorus	201	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	711	(175)	ppm								0 lbs K2O/1000sqft
Calcium	14,331	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	427	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	121	(13)	ppm								0 lbs S/1000sqft
Sodium	88	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509352

Customer Sample ID: 1227

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	182	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	13	(-)	ppm**									0.8 lbs N/1000sqft
Phosphorus	23	(50)	ppm									2.1 lbs P2O5/1000sqft
Potassium	104	(175)	ppm									1.6 lbs K2O/1000sqft
Calcium	9,448	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	305	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	16	(13)	ppm									0 lbs S/1000sqft
Sodium	7	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509353
 Customer Sample ID: 1229
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.2	(6.5)	-	Mod. Alkaline								
Conductivity	98	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	4	(-)	ppm**									1.3 lbs N/1000sqft
Phosphorus	30	(50)	ppm									1.5 lbs P2O5/1000sqft
Potassium	126	(175)	ppm									1.1 lbs K2O/1000sqft
Calcium	10,489	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	229	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	25	(13)	ppm									0 lbs S/1000sqft
Sodium	6	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509354
 Customer Sample ID: 1230
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	253	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	20	(-)	ppm**									0.4 lbs N/1000sqft
Phosphorus	18	(50)	ppm									2.5 lbs P2O5/1000sqft
Potassium	295	(175)	ppm									0 lbs K2O/1000sqft
Calcium	10,130	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	408	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	14	(13)	ppm									0 lbs S/1000sqft
Sodium	8	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509355
 Customer Sample ID: 1231
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	256	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	11	(-)	ppm**									0.9 lbs N/1000sqft
Phosphorus	149	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	272	(175)	ppm									0 lbs K2O/1000sqft
Calcium	8,491	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	311	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	22	(13)	ppm									0 lbs S/1000sqft
Sodium	22	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509356
 Customer Sample ID: 1232
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.6	(6.5)	-	Slightly Alkaline							
Conductivity	209	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	3	(-)	ppm**								1.3 lbs N/1000sqft
Phosphorus	206	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	234	(175)	ppm								0 lbs K2O/1000sqft
Calcium	8,757	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	382	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	28	(13)	ppm								0 lbs S/1000sqft
Sodium	16	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509357

Customer Sample ID: 1233

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.1	(6.5)	-	Mod. Alkaline							
Conductivity	236	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	4	(-)	ppm**								1.3 lbs N/1000sqft
Phosphorus	239	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	274	(175)	ppm								0 lbs K2O/1000sqft
Calcium	9,665	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	661	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	38	(13)	ppm								0 lbs S/1000sqft
Sodium	26	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509358
 Customer Sample ID: 1235
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.1	(6.5)	-	Mod. Alkaline							
Conductivity	167	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	6	(-)	ppm**								1.1 lbs N/1000sqft
Phosphorus	16	(50)	ppm								2.7 lbs P2O5/1000sqft
Potassium	157	(175)	ppm								0.4 lbs K2O/1000sqft
Calcium	15,408	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	225	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	18	(13)	ppm								0 lbs S/1000sqft
Sodium	5	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509359
 Customer Sample ID: 1236
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.4	(6.5)	-	Slightly Alkaline							
Conductivity	421	(-)	umho/cm	None						CL*	Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								1 lbs N/1000sqft
Phosphorus	206	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	350	(175)	ppm								0 lbs K2O/1000sqft
Calcium	6,638	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	591	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	60	(13)	ppm								0 lbs S/1000sqft
Sodium	65	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509361
 Customer Sample ID: 1237
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.5	(6.5)	-	Slightly Alkaline							
Conductivity	273	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								1 lbs N/1000sqft
Phosphorus	223	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	485	(175)	ppm								0 lbs K2O/1000sqft
Calcium	8,423	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	876	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	34	(13)	ppm								0 lbs S/1000sqft
Sodium	51	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509362
 Customer Sample ID: 1238
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.1	(6.5)	-	Mod. Alkaline							
Conductivity	190	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	10	(-)	ppm**								1 lbs N/1000sqft
Phosphorus	26	(50)	ppm								1.9 lbs P2O5/1000sqft
Potassium	221	(175)	ppm								0 lbs K2O/1000sqft
Calcium	24,459	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	199	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	29	(13)	ppm								0 lbs S/1000sqft
Sodium	12	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509363
 Customer Sample ID: 1239
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	165	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	13	(-)	ppm**								0.8 lbs N/1000sqft
Phosphorus	190	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	173	(175)	ppm								0 lbs K2O/1000sqft
Calcium	16,122	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	449	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	29	(13)	ppm								0 lbs S/1000sqft
Sodium	21	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509364
 Customer Sample ID: 1240
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.2	(6.5)	-	Slightly Alkaline							
Conductivity	877	(-)	umho/cm	Slight							Fertilizer Recommended
Nitrate-N	94	(-)	ppm**								0 lbs N/1000sqft
Phosphorus	1,069	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	1352	(175)	ppm								0 lbs K2O/1000sqft
Calcium	11,819	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	1,047	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	109	(13)	ppm								0 lbs S/1000sqft
Sodium	191	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509365
 Customer Sample ID: 1241
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.4	(6.5)	-	Slightly Alkaline							
Conductivity	326	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	8	(-)	ppm**							1 lbs N/1000sqft	
Phosphorus	248	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	172	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	5,964	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	553	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	53	(13)	ppm							0 lbs S/1000sqft	
Sodium	24	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509366
 Customer Sample ID: 1242
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	168	(-)	umho/cm	None								CL* Fertilizer Recommended
Nitrate-N	8	(-)	ppm**								1 lbs N/1000sqft	
Phosphorus	71	(50)	ppm								0 lbs P2O5/1000sqft	
Potassium	462	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	13,910	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	219	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	11	(13)	ppm								0.25 lbs S/1000sqft	
Sodium	6	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Sulfur: Available sulfur may be found deeper in soil profile, thus limiting any response to added sulfur.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509367
 Customer Sample ID: 1244
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	299	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	4	(-)	ppm**									1.3 lbs N/1000sqft
Phosphorus	48	(50)	ppm									0.1 lbs P2O5/1000sqft
Potassium	310	(175)	ppm									0 lbs K2O/1000sqft
Calcium	15,467	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	427	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	49	(13)	ppm									0 lbs S/1000sqft
Sodium	21	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509368
 Customer Sample ID: 1245
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	219	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	5	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	82	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	350	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	7,660	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	481	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	16	(13)	ppm							0 lbs S/1000sqft	
Sodium	13	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509369

Customer Sample ID: 1247

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	245	(-)	umho/cm	None								Fertilizer Recommended
Nitrate-N	5	(-)	ppm**								1.2 lbs N/1000sqft	
Phosphorus	57	(50)	ppm								0 lbs P2O5/1000sqft	
Potassium	189	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	7,278	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	277	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	21	(13)	ppm								0 lbs S/1000sqft	
Sodium	31	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509370
 Customer Sample ID: 1249
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	276	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	9	(-)	ppm**									1 lbs N/1000sqft
Phosphorus	106	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	266	(175)	ppm									0 lbs K2O/1000sqft
Calcium	8,249	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	405	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	22	(13)	ppm									0 lbs S/1000sqft
Sodium	36	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509371
 Customer Sample ID: 1250
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	281	(-)	umho/cm	None			CL*		Fertilizer Recommended		
Nitrate-N	6	(-)	ppm**								1.1 lbs N/1000sqft
Phosphorus	432	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	548	(175)	ppm								0 lbs K2O/1000sqft
Calcium	13,031	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	519	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	67	(13)	ppm								0 lbs S/1000sqft
Sodium	29	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509372
 Customer Sample ID: 1251
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	304	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	2	(-)	ppm**								1.3 lbs N/1000sqft
Phosphorus	508	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	387	(175)	ppm								0 lbs K2O/1000sqft
Calcium	7,864	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	450	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	80	(13)	ppm								0 lbs S/1000sqft
Sodium	22	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509373
 Customer Sample ID: 1252
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	208	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	9	(-)	ppm**							1 lbs N/1000sqft	
Phosphorus	378	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	275	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	8,654	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	418	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	44	(13)	ppm							0 lbs S/1000sqft	
Sodium	23	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509374
 Customer Sample ID: 1253
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.9	(6.5)	-	Mod. Alkaline								
Conductivity	248	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	13	(-)	ppm**									0.8 lbs N/1000sqft
Phosphorus	19	(50)	ppm									2.4 lbs P2O5/1000sqft
Potassium	599	(175)	ppm									0 lbs K2O/1000sqft
Calcium	14,876	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	789	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	20	(13)	ppm									0 lbs S/1000sqft
Sodium	6	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509375
 Customer Sample ID: 1254
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	1,186	(-)	umho/cm	Moderate							Fertilizer Recommended
Nitrate-N	2	(-)	ppm**								1.3 lbs N/1000sqft
Phosphorus	408	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	712	(175)	ppm								0 lbs K2O/1000sqft
Calcium	13,047	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	542	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	471	(13)	ppm								0 lbs S/1000sqft
Sodium	166	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Conductivity: Salinity levels are becoming elevated, monitor levels or remove salts with 10-15 inches of clean leach water.

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509376
 Customer Sample ID: 1255
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.3	(6.5)	-	Mod. Alkaline							
Conductivity	139	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	3	(-)	ppm**								1.3 lbs N/1000sqft
Phosphorus	15	(50)	ppm								2.8 lbs P2O5/1000sqft
Potassium	203	(175)	ppm								0 lbs K2O/1000sqft
Calcium	22,431	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	723	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	31	(13)	ppm								0 lbs S/1000sqft
Sodium	39	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509377

Customer Sample ID: 1256

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.1	(6.5)	-	Mod. Alkaline								
Conductivity	159	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	2	(-)	ppm**								1.3 lbs N/1000sqft	
Phosphorus	5	(50)	ppm								3.5 lbs P2O5/1000sqft	
Potassium	152	(175)	ppm								0.5 lbs K2O/1000sqft	
Calcium	9,522	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	220	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	7	(13)	ppm								0.5 lbs S/1000sqft	
Sodium	57	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Sulfur: Available sulfur may be found deeper in soil profile, thus limiting any response to added sulfur.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509378
 Customer Sample ID: 1257
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	239	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	6	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	56	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	244	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	6,931	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	379	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	15	(13)	ppm							0 lbs S/1000sqft	
Sodium	24	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509379

Customer Sample ID: 1258

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.8	(6.5)	-	Mod. Alkaline								
Conductivity	267	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	15	(-)	ppm**									0.7 lbs N/1000sqft
Phosphorus	46	(50)	ppm									0.2 lbs P2O5/1000sqft
Potassium	215	(175)	ppm									0 lbs K2O/1000sqft
Calcium	14,535	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	245	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	23	(13)	ppm									0 lbs S/1000sqft
Sodium	17	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509385

Customer Sample ID: 1340

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.7	(6.5)	-	Mod. Alkaline								
Conductivity	845	(-)	umho/cm	Slight							CL*	Fertilizer Recommended
Nitrate-N	136	(-)	ppm**									0 lbs N/1000sqft
Phosphorus	44	(50)	ppm									0.4 lbs P2O5/1000sqft
Potassium	206	(175)	ppm									0 lbs K2O/1000sqft
Calcium	20,075	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	289	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	81	(13)	ppm									0 lbs S/1000sqft
Sodium	55	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509386

Customer Sample ID: 1342

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.1	(6.5)	-	Slightly Alkaline							
Conductivity	1,900	(-)	umho/cm	High							CL* Fertilizer Recommended
Nitrate-N	535	(-)	ppm**								0 lbs N/1000sqft
Phosphorus	416	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	2587	(175)	ppm								0 lbs K2O/1000sqft
Calcium	7,330	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	775	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	129	(13)	ppm								0 lbs S/1000sqft
Sodium	144	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Conductivity: Salinity levels are becoming elevated, monitor levels or remove salts with 10-15 inches of clean leach water.

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509387
 Customer Sample ID: 1343
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	424	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	11	(-)	ppm**								0.9 lbs N/1000sqft
Phosphorus	342	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	789	(175)	ppm								0 lbs K2O/1000sqft
Calcium	13,059	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	655	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	55	(13)	ppm								0 lbs S/1000sqft
Sodium	59	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509388
 Customer Sample ID: 1344
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.6	(6.5)	-	Mod. Alkaline							
Conductivity	381	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	4	(-)	ppm**								1.2 lbs N/1000sqft
Phosphorus	408	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	278	(175)	ppm								0 lbs K2O/1000sqft
Calcium	9,703	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	394	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	51	(13)	ppm								0 lbs S/1000sqft
Sodium	56	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509389
 Customer Sample ID: 1345
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	318	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	3	(-)	ppm**								1.3 lbs N/1000sqft
Phosphorus	281	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	392	(175)	ppm								0 lbs K2O/1000sqft
Calcium	8,825	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	447	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	52	(13)	ppm								0 lbs S/1000sqft
Sodium	36	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509391

Customer Sample ID: 1346

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.			
pH	7.9	(6.5)	-	Mod. Alkaline									
Conductivity	164	(-)	umho/cm	None								CL*	Fertilizer Recommended
Nitrate-N	8	(-)	ppm**									1 lbs N/1000sqft	
Phosphorus	48	(50)	ppm									0.1 lbs P2O5/1000sqft	
Potassium	285	(175)	ppm									0 lbs K2O/1000sqft	
Calcium	8,264	(180)	ppm									0 lbs Ca/1000sqft	
Magnesium	278	(50)	ppm									0 lbs Mg/1000sqft	
Sulfur	18	(13)	ppm									0 lbs S/1000sqft	
Sodium	4	(-)	ppm										
Iron													
Zinc													
Manganese													
Copper													
Boron													
Limestone Requirement												0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509392
 Customer Sample ID: 1347
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.5	(6.5)	-	Slightly Alkaline								
Conductivity	718	(-)	umho/cm	Slight							CL*	Fertilizer Recommended
Nitrate-N	94	(-)	ppm**									0 lbs N/1000sqft
Phosphorus	133	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	271	(175)	ppm									0 lbs K2O/1000sqft
Calcium	7,218	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	267	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	154	(13)	ppm									0 lbs S/1000sqft
Sodium	18	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509393
 Customer Sample ID: 1348
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.1	(6.5)	-	Slightly Alkaline							
Conductivity	175	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	6	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	1,141	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	462	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	11,024	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	933	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	57	(13)	ppm							0 lbs S/1000sqft	
Sodium	51	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509394

Customer Sample ID: 1352

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.8	(6.5)	-	Mod. Alkaline								
Conductivity	355	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	58	(-)	ppm**									0 lbs N/1000sqft
Phosphorus	26	(50)	ppm									1.8 lbs P2O5/1000sqft
Potassium	644	(175)	ppm									0 lbs K2O/1000sqft
Calcium	10,877	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	569	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	26	(13)	ppm									0 lbs S/1000sqft
Sodium	3	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509395
 Customer Sample ID: 1353
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	246	(-)	umho/cm	None							CL*
Nitrate-N	5	(-)	ppm**								Fertilizer Recommended 1.2 lbs N/1000sqft
Phosphorus	69	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	240	(175)	ppm								0 lbs K2O/1000sqft
Calcium	7,203	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	366	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	22	(13)	ppm								0 lbs S/1000sqft
Sodium	6	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509396
 Customer Sample ID: 1354
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.7	(6.5)	-	Mod. Alkaline							
Conductivity	289	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	35	(-)	ppm**								0 lbs N/1000sqft
Phosphorus	194	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	364	(175)	ppm								0 lbs K2O/1000sqft
Calcium	21,057	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	401	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	39	(13)	ppm								0 lbs S/1000sqft
Sodium	17	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509397
 Customer Sample ID: 1355
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	253	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	4	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	194	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	450	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	17,235	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	300	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	33	(13)	ppm							0 lbs S/1000sqft	
Sodium	16	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509398

Customer Sample ID: 1356

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.8	(6.5)	-	Mod. Alkaline								
Conductivity	346	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	41	(-)	ppm**									0 lbs N/1000sqft
Phosphorus	65	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	246	(175)	ppm									0 lbs K2O/1000sqft
Calcium	27,945	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	239	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	41	(13)	ppm									0 lbs S/1000sqft
Sodium	20	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509399
 Customer Sample ID: 1357
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.0	(6.5)	-	Mod. Alkaline								
Conductivity	303	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	8	(-)	ppm**								1 lbs N/1000sqft	
Phosphorus	77	(50)	ppm								0 lbs P2O5/1000sqft	
Potassium	306	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	11,963	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	586	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	38	(13)	ppm								0 lbs S/1000sqft	
Sodium	16	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509400

Customer Sample ID: 1358

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	8.0	(6.5)	-	Mod. Alkaline								
Conductivity	254	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	8	(-)	ppm**								1.1 lbs N/1000sqft	
Phosphorus	255	(50)	ppm								0 lbs P2O5/1000sqft	
Potassium	503	(175)	ppm								0 lbs K2O/1000sqft	
Calcium	6,821	(180)	ppm								0 lbs Ca/1000sqft	
Magnesium	244	(50)	ppm								0 lbs Mg/1000sqft	
Sulfur	28	(13)	ppm								0 lbs S/1000sqft	
Sodium	34	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement											0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509401
 Customer Sample ID: 1359
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.4	(6.5)	-	Slightly Alkaline							
Conductivity	258	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	15	(-)	ppm**								0.7 lbs N/1000sqft
Phosphorus	191	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	162	(175)	ppm								0.3 lbs K2O/1000sqft
Calcium	4,599	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	354	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	58	(13)	ppm								0 lbs S/1000sqft
Sodium	5	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509402
 Customer Sample ID: 1360
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	210	(-)	umho/cm	None							Fertilizer Recommended
Nitrate-N	4	(-)	ppm**							1.2 lbs N/1000sqft	
Phosphorus	126	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	307	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	11,073	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	545	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	27	(13)	ppm							0 lbs S/1000sqft	
Sodium	16	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:

Christine Whitney

Austin Brownfield Revitalization Office

PO Box 1088

Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County

Laboratory Number: 509403

Customer Sample ID: 1361

Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.		
pH	7.8	(6.5)	-	Mod. Alkaline								
Conductivity	178	(-)	umho/cm	None							CL*	Fertilizer Recommended
Nitrate-N	9	(-)	ppm**									1 lbs N/1000sqft
Phosphorus	80	(50)	ppm									0 lbs P2O5/1000sqft
Potassium	946	(175)	ppm									0 lbs K2O/1000sqft
Calcium	11,705	(180)	ppm									0 lbs Ca/1000sqft
Magnesium	399	(50)	ppm									0 lbs Mg/1000sqft
Sulfur	20	(13)	ppm									0 lbs S/1000sqft
Sodium	46	(-)	ppm									
Iron												
Zinc												
Manganese												
Copper												
Boron												
Limestone Requirement												0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County
 Laboratory Number: 509404
 Customer Sample ID: 1362
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.5	(6.5)	-	Slightly Alkaline							
Conductivity	202	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	9	(-)	ppm**							1 lbs N/1000sqft	
Phosphorus	575	(50)	ppm							0 lbs P2O5/1000sqft	
Potassium	213	(175)	ppm							0 lbs K2O/1000sqft	
Calcium	11,802	(180)	ppm							0 lbs Ca/1000sqft	
Magnesium	754	(50)	ppm							0 lbs Mg/1000sqft	
Sulfur	40	(13)	ppm							0 lbs S/1000sqft	
Sodium	29	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement										0.00 lbs/1000sqft	

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509405
 Customer Sample ID: 1363
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.8	(6.5)	-	Mod. Alkaline							
Conductivity	246	(-)	umho/cm	None							CL*
Nitrate-N	3	(-)	ppm**								Fertilizer Recommended 1.3 lbs N/1000sqft
Phosphorus	80	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	384	(175)	ppm								0 lbs K2O/1000sqft
Calcium	23,406	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	309	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	38	(13)	ppm								0 lbs S/1000sqft
Sodium	22	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478

979-845-4816 (phone)

979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018

Printed on: 5/9/2018

Area Represented: not provided

Travis County
 Laboratory Number: 509406
 Customer Sample ID: 1364
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	157	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	5	(-)	ppm**								1.2 lbs N/1000sqft
Phosphorus	127	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	239	(175)	ppm								0 lbs K2O/1000sqft
Calcium	8,271	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	270	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	27	(13)	ppm								0 lbs S/1000sqft
Sodium	7	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509407
 Customer Sample ID: 1366
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	186	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	6	(-)	ppm**								1.1 lbs N/1000sqft
Phosphorus	21	(50)	ppm								2.3 lbs P2O5/1000sqft
Potassium	245	(175)	ppm								0 lbs K2O/1000sqft
Calcium	7,893	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	284	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	15	(13)	ppm								0 lbs S/1000sqft
Sodium	6	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509408
 Customer Sample ID: 1367
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	8.0	(6.5)	-	Mod. Alkaline							
Conductivity	221	(-)	umho/cm	None							CL*
Nitrate-N	7	(-)	ppm**								Fertilizer Recommended 1.1 lbs N/1000sqft
Phosphorus	21	(50)	ppm								2.3 lbs P2O5/1000sqft
Potassium	501	(175)	ppm								0 lbs K2O/1000sqft
Calcium	15,612	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	338	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	14	(13)	ppm								0 lbs S/1000sqft
Sodium	4	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509409
 Customer Sample ID: 1368
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	319	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	3	(-)	ppm**								1.3 lbs N/1000sqft
Phosphorus	548	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	567	(175)	ppm								0 lbs K2O/1000sqft
Calcium	11,257	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	512	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	88	(13)	ppm								0 lbs S/1000sqft
Sodium	42	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>



Soil Analysis Report

Soil, Water and Forage Testing Laboratory
 Department of Soil and Crop Sciences
 2478 TAMU

College Station, TX 77843-2478
 979-845-4816 (phone)
 979-845-5958 (FAX)

Visit our website: <http://soiltesting.tamu.edu>

Report generated for:
 Christine Whitney
 Austin Brownfield Revitalization Office
 PO Box 1088
 Austin, TX 78767

Sample received on: 4/24/2018
 Printed on: 5/9/2018
 Area Represented: not provided

Travis County
 Laboratory Number: 509410
 Customer Sample ID: 1369
 Crop Grown: GARDEN

Analysis	Results	CL*	Units	ExLow	VLow	Low	Mod	High	VHigh	Excess.	
pH	7.9	(6.5)	-	Mod. Alkaline							
Conductivity	312	(-)	umho/cm	None							CL* Fertilizer Recommended
Nitrate-N	2	(-)	ppm**								1.3 lbs N/1000sqft
Phosphorus	380	(50)	ppm								0 lbs P2O5/1000sqft
Potassium	290	(175)	ppm								0 lbs K2O/1000sqft
Calcium	7,498	(180)	ppm								0 lbs Ca/1000sqft
Magnesium	406	(50)	ppm								0 lbs Mg/1000sqft
Sulfur	75	(13)	ppm								0 lbs S/1000sqft
Sodium	15	(-)	ppm								
Iron											
Zinc											
Manganese											
Copper											
Boron											
Limestone Requirement											0.00 lbs/1000sqft

*CL=Critical level is the point which no additional nutrient (excluding nitrate-N, sodium and conductivity) is recommended. **ppm=mg/kg

Nitrogen: Apply an additional 1 lb N/1000 sqft every 4-6 weeks, as needed, to maintain vegetative growth.

Phosphorus: Phosphorus is highly elevated, avoid phosphorus containing fertilizers and organics for the next 5 years, retest annually.

New online fertilizer calculators have been placed on the laboratory's website to determine appropriate fertilizers to purchase and determine their application rates.
<http://soiltesting.tamu.edu/webpages/calculator.html>