



**CITY OF AUSTIN
STANDARD PRODUCTS LIST
for
MANHOLE SEALS**

USING DEPARTMENT: Water Utility **ISSUED:** 01/02/96 **REVIEWED:** 07/01/14 **REVISED:** 07/01/14

PREPARED BY: Bill Flynn, P.E. **CITY STOCK NUMBER:**

DESCRIPTION: Manhole Seals, plastic, watertight, installed according to manufacturer-recommended procedures

LISTING DATE	MANUFACTURER	PRODUCT IDENTIFICATION/COMMENT	APPROVAL
01/02/97	CANUSA/DIVISION OF SHAW PIPE RESOURCES 2408 Timberloch Place Building C-8 The Woodlands, TX 77380	Wrapid Seal—Black, Heat Shrinkage Manhole Seal, 18-inch minimum width manufacturer-provided closure strip required manufacturer-approved primer required manufacturer-approved torch/burner required See note 1	W. Flynn
07/01/97	MILLER PIPELINE CORP. P.O. Box 34145 Indianapolis, IN 46234	Encap Seal—Miller Surface Kit or I.D. Mold Repair Kit, as ordered—for sealing ring casting at top of manhole cone or adjustment rings as per Standard 503S-6W.	W. Flynn
10/01/02	ASAHI DENKA KOGYO c/o John Nadler P.O. Box 11130 Spring, TX 77391	Adeka Ultra Seal P-201—used as waterstop around pipe wall penetrations on manholes with cast-in-place bases and on concrete chimney (adjusting) rings on manholes outside of pavement	R. Lamb
10/01/05	CRETEX SPECIALTY PRODUCTS 2002 South West Avenue Waukesha, WI 53189	CretexWrap—Black, Metal-banded Joint Wrap, 12-inch minimum width See note 1	R. Lamb
01/01/07	PIPELINE SEAL & INSULATOR, INC. 6525 Goforth Street Houston, TX 77021	Riser-Wrap— Black, Heat Shrinkage Manhole Seal, 17-inch minimum width manufacturer-provided closure strip required manufacturer-approved primer required manufacturer-approved torch/burner required See note 1	R. Lamb
07/01/14	SEALING SYSTEMS, INC. 9350 County Rd. 19 Loretto, MN 55357	Infi-Shield Gator Wrap—Black, Adhesive Coated Backside, Joint wrap, 12-inch minimum width See note 1	R. Lamb

NOTE: 1. Used for sealing the joints between pre-cast manhole sections. Not used for sealing the joints between grade rings.